



GOVERNMENT POLYTECHNIC, GONDIA

FULCHUR TOLA, GOREGAON ROAD, PIN CODE: - 441601

PHONE No: 07182-235140, FAX No: 07182-235136,

EMAIL ID: gp.gondia@gmail.com

QUOTATION ENQUIRY

No. GPGondia/EE/2022-23/154

Date: 27/01/2023

To,

Subject: Quotation for Supply of Switchgear and Protection Lab Equipment

Sir,

With reference to above mention subject sealed quotation are invited for the supply of **Switchgear and Protection Laboratory Equipment** as mentioned below, as per the condition mentioned below:

Quotations should be sent in envelopes duly sealed and super scribed "Quotations for Switchgear and Protection Laboratory Equipment" due on 10/02/2023 so as to reach this office on or before 10/02/2023 up to 12.00 Noon. Quotations will be opened at 02 p.m. on dated 10/02/2023 when you or your representative may if you so desire, be present at your own cost.

1. The instruments/equipment/goods/materials quoted for should be of the best quality and you should specifically indicate the make of manufacturer and the country with full details and should be in conformity with your specifications. You are also requested to quote for the substitute or equivalent stores/items. The full technical illustrative and description literature of the equipment/stores offered must accompany the quotations without which the quotation will not be considered.
2. The rates should be F.O.R. Gondia by the tenders outside Gondia and delivery on campus by local tenders, (Door delivery basis only)
3. Supply will have to be completed within **15** Days from the date of issue of this order for supply.
4. The **rates** should be inclusive of all the taxes, packing, forwarding, freight etc.
5. The **payment** will be subject to delivery of items in good condition at this end, inspection and **approval** thereof. Three copies of the bill to be supplied along with goods/materials.
6. If the **supply** or any part those offered is rejected the supplier will have to bear all **expenses** incurred in the matter including all charges of return and replacement of the items if any.
7. Goods not up to the standard or without I.S.I. mark even at lowest in price will not be accepted and decision of the undersigned in this respect will be final.



GOVERNMENT POLYTECHNIC, GONDIA

FULCHUR TOLA, GOREGAON ROAD, PIN CODE: - 441601

PHONE No: 07182-235140, FAX No: 07182-235136,

EMAIL ID: gp.gondia@gmail.com

8. This office reserves the right to accept any quotations or reject any or all quotation and to order any of the items in any quantity without any reason thereof.
9. The items will be inspected by the inspection team authorized by this office subjected to the approval of the said team.

Principal
Govt. Polytechnic
Gondia.

S.N.	Description of Equipment	Quantity
1	<p>Simulation model for protection schemes for 3 Phase Induction Motor:</p> <p>a) 3 Phase Induction Motor: 1HP, 415V AC, 50 Hz, 1440 RPM with Loading Arrangement.</p> <p>b) Various Protective relays as under: (Microcontrolled/ Microprocessor based) * Definite time overcurrent relay. * Over heating protection relay or Thermal Protection relay. * Single Phase Preventer. * Under/ Over Voltage Relay. The above relay will be a composite or separate relays.</p> <p>c) Testing Panel: * Input: 3 Ph, 415V AC. * 3 Pole MCB for input side. * DOL Starter. * Aux. supply for relays. * Fault simulation facility. * ON/OFF switches/ MCB. * Accessories: Indicating lamps, Digital Ammeter, Voltmeter, AC and DC.</p> <p>d) Construction: All the above components will be fitted in an MS enclosure duly powder coated with self standing facility.</p> <p>All the components will be duly labeled. With insulated termination for external connections of relay and test set for study use.</p>	1 No

Principal
Govt. Polytechnic
Gondia.